

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	5	(("3662602") or ("4684125")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/09/29 08:34
S2	39	("0518967" "0911925" "0929281" "2356260" "3400793" "3467376" "3563542").PN. OR ("3662602").URPN.	US-PGPUB; USPAT; USOCR	AND	ON	2005/09/29 08:35
S3	25	("0496094" "0929281" "0948140" "3400793" "3559487" "3662602" "3938389" "4129297" "4209167" "4406454" "4482149" "4509747" "4542897" "4771344" "4805900" "4811944" "5431616" "5466200" "5591104").PN. OR ("5842958"). URPN.	US-PGPUB; USPAT; USOCR	AND	ON	2005/09/29 08:36
S4	19	("3638941" "3861677" "3948513" "4129297" "4231568" "4254950" "4257593" "4397462" "4426077" "4477071" "D230613").PN. OR ("4684125").URPN.	US-PGPUB; USPAT; USOCR	AND	ON	2005/09/29 08:41
S6	18	("3713653" "4249727" "5013034" "5069448" "5 244444" "5372564" "5681246" "5759139" "582 0520").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2005/09/29 08:44
S7	32	("1969165" "2643123" "2832595" "2906532" "2921791" "3068003" "3228683" "3428311" "3587319" "3724450" "3957266" "4036490" "4243219" "4313603" "4517966" "4834364" "4925185" "D182660" "D209759" "D292427").PN. OR ("5820520").URPN.	US-PGPUB; USPAT; USOCR	AND	ON	2005/09/29 08:45
S8	35	("3587319").URPN.	USPAT	AND	ON	2005/09/29 08:48
S9	28	("2324970" "3587319" "4225131" "4730826" "4743015" "4749189" "4818667" "4824100" "4836530" "4880226" "4953858").PN. OR ("5074550").URPN.	US-PGPUB; USPAT; USOCR	AND	ON	2005/09/29 08:49
S10	33	("2921791").URPN.	USPAT	AND	ON	2005/09/29 08:52
S11	25	("3139282" "3587319" "3634895" "4227689" "4257593" "4478411" "4720099" "4813667" "4830371" "4903966" "5013034" "5108093" "5176601" "5205802").PN. OR ("5372564").URPN.	US-PGPUB; USPAT; USOCR	AND	ON	2005/09/29 08:54
S12	928	(482/72,112).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/09/29 08:57
S5	2054	(482/51,72,112).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/09/29 09:03

S13	290	S5 and (hydraulic or pneumatic) adj (cylinder or damper or dashpot or resistance)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2005/09/29 09:04
S15	64	(482/905).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/09/29 09:35
S14	96	(482/135).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/09/29 09:35
S16	20	("3467376").URPN.	USPAT	AND	ON	2005/09/29 09:38
S17	13	("0681664" "3301555" "4463949").PN. OR ("4846468").URPN.	US-PGPUB; USPAT; USOCR	AND	ON	2005/09/29 09:48
S18	17	("2782033" "3013799" "3089700" "3467376").PN. OR ("3743284").URPN.	US-PGPUB; USPAT; USOCR	AND	ON	2005/09/29 09:50
S19	20	("3467376").URPN.	USPAT	AND	ON	2005/09/29 09:54
S20	633	(482/62,63).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/09/29 10:08
S21	131	(482/73).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/09/29 10:09
S22	291	"482".clas. handle crossbar	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2005/09/29 11:21
S24	501	482/126.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2005/09/29 11:22
S23	0	482/126.clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2005/09/29 11:22
S26	2	("5244444").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/09/29 12:27

S25	49	("3132861" "4211404" "4351527" "4517966" "4580778" "4603858" "4606541" "4736946" "4743011" "4824105" "4863162" "4865317" "4903963" "4951941" "5005832" "5033742" "5046726" "5069448" "5071119").PN. OR ("5232425").URPN.	US-PGPUB; USPAT; USOCR	AND	ON	2005/09/29 12:27
S27	19	("0605747" "1366200" "2356260" "2921791" "3428311" "4103887" "4249727" "4603856" "4634121").PN. OR ("5244444").URPN.	US-PGPUB; USPAT; USOCR	AND	ON	2005/09/29 16:27
S28	4	((("2564735") or ("8408466"))).PN.	EPO; DERWENT	OR	OFF	2005/09/29 16:45
S33	0	("405115580").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/10/28 10:48
S32	1	("5115580").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/10/28 10:48
S31	0	JP405115580A.pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2005/10/28 10:48
S30	9	((("3989241") or ("0494662") or ("5522783") or ("3428312") or ("JP405115580A"))).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/10/28 10:48
S35	0	("JP5115580A").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/10/28 10:49
S34	0	("JP405115580A").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/10/28 10:49
S36	19	("3638941" "3861677" "3948513" "4129297" "4231568" "4254950" "4257593" "4397462" "4426077" "4477071" "D230613").PN. OR ("4684125").URPN.	US-PGPUB; USPAT; USOCR	AND	ON	2005/10/31 14:02
S37	19	("0929281" "2252868" "2530921" "3345067" "3430955" "3495824" "3662602").PN. OR ("3989241").URPN.	US-PGPUB; USPAT; USOCR	AND	ON	2005/12/12 14:42
S38	18	("3246893" "3834695" "3942790" "4326692" "4482193" "4620704").PN. OR ("5522783").URPN.	US-PGPUB; USPAT; USOCR	AND	ON	2005/12/12 14:43
S40	0	("2005/0037903").URPN.	USPAT	AND	ON	2005/12/12 14:51

S39	159	"482".clas. (hydraulic or pneumatic) near cylinder pivot (stick or handle or column or rod or lever)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2005/12/12 14:59
S41	102	"482".clas. (hydraulic or pneumatic) near cylinder pivot (stick or handle or column or rod or lever) (guide or (guide body) or carrier or path)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2005/12/12 15:01
S42	16	("5013031" "5039088" "5279529" "5290211" "5336141" "5499956" "5577985" "5707320" "5792026" "5795268").PN. OR ("6004244").URPN.	US-PGPUB; USPAT; USOCR	AND	ON	2005/12/12 15:02
S45	15	("0092793" "0163801" "3359802" "3587319").PN. OR ("3784195").URPN.	US-PGPUB; USPAT; USOCR	AND	ON	2006/01/05 10:59
S44	2	("3784195").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/01/05 10:59
S43	20	("3467376").URPN.	USPAT	AND	ON	2006/01/05 10:59
S46	37	("0399942" "0839803" "2233764" "2728188" "2782033" "3467376" "3563542" "3747925" "3802701" "3822061").PN. OR ("3982757").URPN.	US-PGPUB; USPAT; USOCR	AND	ON	2006/01/05 11:10
S47	42	("0684688" "1480499" "2198947" "2650585" "2903263" "3207147" "3277879" "3467376").PN. OR ("3563542").URPN.	US-PGPUB; USPAT; USOCR	AND	ON	2006/01/05 11:12
S48	9	("1532865" "3563542" "3616557").PN. OR ("3747925").URPN.	US-PGPUB; USPAT; USOCR	AND	ON	2006/01/05 11:19
S49	22	("1232000" "2223309" "3180666" "3451675" "3563542").PN. OR ("3947025").URPN.	US-PGPUB; USPAT; USOCR	AND	ON	2006/01/05 11:23
S50	24	("2223309").URPN.	USPAT	AND	ON	2006/01/05 11:24
S51	25	("3019019" "3467376" "3475024" "3536326" "3559487" "3662602" "3743284" "3815904" "3947025" "3982757" "4063727" "4157179" "4184675" "D256822").PN. OR ("4509747").URPN.	US-PGPUB; USPAT; USOCR	AND	ON	2006/01/05 11:26
S52	27	("0827260" "1556579" "1631355" "2227365" "2782033").PN. OR ("4157179").URPN.	US-PGPUB; USPAT; USOCR	AND	ON	2006/01/05 11:27
S54	57579	pivot same (stick or handle or lever or arm) (hydraulic or pneumatic or piston) near (cylinder or cylinders)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2006/01/05 11:33
S55	28256	pivot same (stick or handle or lever or arm) same (hydraulic or pneumatic or piston) near (cylinder or cylinders)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2006/01/05 11:35

S58	17905	pivot with (stick or handle or lever or arm) same (hydraulic or pneumatic or piston) adj cylinder	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2006/01/05 11:36
S57	17905	pivot with (stick or handle or lever or arm) same (hydraulic or pneumatic or piston) adj (cylinder or cylinders)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2006/01/05 11:36
S56	20902	pivot with (stick or handle or lever or arm) same (hydraulic or pneumatic or piston) near (cylinder or cylinders)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2006/01/05 11:36
S61	1062	pivot with (stick or handle or lever or arm) same (hydraulic or pneumatic or piston) adj cylinder base with guide	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2006/01/05 11:37
S60	2396	pivot with (stick or handle or lever or arm) same (hydraulic or pneumatic or piston) adj cylinder base same guide	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2006/01/05 11:37
S59	4343	pivot with (stick or handle or lever or arm) same (hydraulic or pneumatic or piston) adj cylinder base guide	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2006/01/05 11:37
L1	13	("0681664" "3301555" "4463949").PN. OR ("4846468").URPN.	US-PGPUB; USPAT; USOCR	AND	ON	2006/01/06 15:35
L2	573	pivot (stick or handle or lever or arm) (hydraulic or pneumatic or piston) near (cylinder or cylinders) "482".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2006/01/06 15:37
L3	13	("1626091" "4429871" "4556216" "4711447" "5360383" "5454773").PN. OR ("5795271").URPN.	US-PGPUB; USPAT; USOCR	AND	ON	2006/01/06 16:27
S53	71387	pivot (stick or handle or lever or arm) (hydraulic or pneumatic or piston) near (cylinder or cylinders)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2006/01/06 17:12
L8	636	(482/121).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/01/06 17:55
L9	250	(482/114,115).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/01/06 18:34

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L4	438	(pivot (stick or handle or lever or arm) (hydraulic or pneumatic or piston) near (cylinder or cylinders)).clm.	US-PGPUB	AND	ON	2006/01/06 17:12
L6	6	(pivot (stick or handle or lever or arm) (hydraulic or pneumatic or piston) near (cylinder or cylinders) base user).clm.	US-PGPUB	AND	ON	2006/01/06 17:15
L7	22	(pivot (stick or handle or lever or arm) (hydraulic or pneumatic or piston) near (cylinder or cylinders) base guide).clm.	US-PGPUB	AND	ON	2006/01/06 17:55
L5	2	(pivot (stick or handle or lever or arm) (hydraulic or pneumatic or piston) near (cylinder or cylinders) base guide user).clm.	US-PGPUB	AND	ON	2006/01/06 18:24